


## VC-M-KV-PG21(14-18)

Order No.: 1854048

The illustration shows a version of the product

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1854048>

Half screw connection Pg21, made of metal, consisting of rubber seal with one hole and one pressure screw, for type 2 - 4 housings, cable [mm] 14 - 18

Commercial data	
GTIN (EAN)	 4 017918 145781
sales group	D290
Pack	5 pcs.
Customs tariff	74153300
Catalog page information	Page 373 (PC-2009)

**Product notes**WEEE/RoHS-compliant since:  
01/01/2008

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data	
<b>General data</b>	
Note	Adapter screw connections are available on request for large cable dimensions, from Pg16 to Pg21 and from Pg21 to Pg29
Material, pressure screw	Nickel-plated brass
Seal material	TPE

Cable seal material	TPE
Wrench size, union nut	30 mm
Thread type on seal side	PG21
External cable diameter	14 mm ... 18 mm
Degree of protection	IP67
Ambient temperature (operation)	-40 °C ... 125 °C

### Certificates / Approvals

Certification GOST

---

### Accessories

Item	Designation	Description
<b>Assembly</b>		
1854983	VC-M-KV-PG21- 0	Half screw connection made of metal with rubber seal without hole for sealing or for individual holes

**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact  
Technical modifications reserved;